

YRTC DICKSON ROOF REPLACEMENT

Addendum 2

**Kearney, Nebraska
1547**

Wilkins Architecture Design Planning
2908 West 39th Street, Suite A
Kearney, Nebraska 68845
308-237-5787

Date Issued: June 1, 2016
Ad. Date: June 16, 2016

TO ALL BID DOCUMENT HOLDERS OF RECORD:

Acknowledge receipt of this addendum by inserting its number in the space provided on the BID FORM. Failure to do so may subject Bidder to disqualification. This Addendum forms a part of the BIDDING DOCUMENTS and modifies them as follows.

Addendum 2 – 1 Specification 07 5000 EPDM Roofing

Add section "1.3A PERFORMANCE REQUIREMENTS

- A. General: Provide installed roofing membrane and base flashings that remain watertight; do not permit the passage of water; and resist specified uplift pressures, thermally induced movement, and exposure to weather without failure."
- B. Material Compatibility: Provide roofing materials that are compatible with one another under conditions of service and application required, as demonstrated by roofing membrane manufacturer based on testing and field experience.
- C. FMG Listing: Provide roofing membrane, base flashings, and component materials that comply with requirements in FMG 4450 and FMG 4470 as part of a membrane roofing system and that are listed in FMG's "Approval Guide" for Class 1 or noncombustible construction, as applicable. Identify materials with FMG markings.
 - 1. Fire/Windstorm Classification: Class 1A-90."

Addendum 2 – 2 Sheet A1.0 Roof Plan

Add note to read; "PLUMBING VENT WHICH NEED EXTENDED SHALL BE EXTENDED WITH CAST IRON".